


Sliding and Hinged Security Door Range









Austral Lock by Gainsborough, proudly Australian for over 40 years.

Established in Melbourne in 1982, Austral Lock is proud to celebrate 40 years of Australian manufacturing and patented innovation. Beginning as a small family-owned business, over the decades, Austral Lock has grown into an innovative and quality-oriented business, supplying hardware to all corners of Australia. Today it is one of only a few in the window and door industry still designing and manufacturing in Australia.

In 2009, Austral Lock was incorporated into the Gainsborough Hardware brand and is now part of the global leader in security - Allegion. Allegion's family of brands includes other Australian market leaders like API, Brio, FSH, Gainsborough Hardware, Legge and Schlage.

Excellence in design and a rigorous approach to quality means Austral Lock products are often imitated but never copied.



7 YEAR TARNISH WARRANTY

1 YEAR MECHANICAL WARRANTY

Sales Support

1800 098 094 or info.au@allegion.com

Technical support hub

1300 898 596 or techsupprt.au@allegion.com

Colour inspiration, the Australian way

Whether you're inspired by a Bondi Blue or Bush Lemon Yellow, Austral can colour match our security hardware to your project.

Austral Locks' purpose built facility in Brooklyn, allows the team to respond to special colour orders within 7 days, ensuring you have the right colour to reflect your Australian way.

Over 200 colours to choose from with 24 readily available which are the perfect palette for products which want to reflect their Australian environment.





WOODLAND GREY WDGR

HAWTHORN GREEN

POTTERY PTST

PAPERBARK SATIN PBRK

PRIMROSE GLOSS PRGL



DEEP OCEAN SATIN

ANODIC DARK GREY
ANGR

MONUMENT SATIN

APO GREY

SURF MIST MATT SFM



HAMMERSLEY BROWN

ANODIC BRONZE

JASPER SATIN S

DOESKIN SATIN DSST

PALLADIUM SILVER




















Non stocked colours are priced upon quote and may attract an increase in cost and lead time.

SD7 Sliding Security Door Lock







- Self latching lock bolt engages automatically when the door is closed
- Stainless steel faceplate for premium look
- Fixing screws only accessible from the inside
- Anti-lift pin on catch plate engages the lock body to prevent the sliding door being lifted from frame
- Interior snib lever for quick and convenient locking without the need for a key
- Suitable for new and retrofit applications as per industry standard cutout on p11
- Suits left and right, aluminium doors 19 to 25mm
- Combine with multipoint kits (see p10 & 11) to create triple point lock for improved security
- Compatible with both cable operated (SD14PLUS) as well as rod operated (S14R) multipoint kits

Part Number	Description
SD7/colour*	SD7 sliding security door lock set less cylinder
SD7NC/colour#	SD7 no cylinder option sliding security door lock set
SD7EX/colour [^]	SD7 sliding security door lock set with extended snib for wider doors, less cylinder
SD7TS KIT	Thin strike (4mm) for SD7 lock
SP6	Standard strike plate for SD7
SD7FP	Fat pack - to fit SD7 lock on door up to 40mm thick

Stocked Colours * BLST, WHGL, PRGL, MON, PBRK, WDGR, SP # BLST, SP ^BLST, SP Other colours listed on p3 colour chart may be ordered as SP at no additional cost but with a 7 day lead time


SD9 Horizon Sliding Security Door Lock














- Stainless steel beak and catch plate for superior performance
- Stainless steel faceplate for premium look
- Fixing screws only accessible from the inside
- Self latching lock bolt engages automatically
- Anti-lift pin on catch plate engages the lock body to prevent the sliding door being lifted from frame
- Interior snib for easy installation and keyless locking
- Suitable for new and retrofit applications, as per industry standard cutout on p11
- Suits left and right, aluminium doors 19 to 25mm thick
- Combine with multipoint kits (see p10 & 11) to create triple point lock for improved security
- Compatible with both cable operated (SD14PLUS) as well as rod operated (S14R) multipoint kits

Part Number	Description
SD9H colour *	SD9 sliding security door lock set less cylinder
SD9HNC colour #	SD9 no cylinder option sliding security door lock set
SD9HDUMMY colour ^	SD9 Dummy Sliding Security Door Lock Furniture Set
ASD9KPR01	Stainless steel standard strike for SD9 lock
SD7TS KIT	Thin strike (4mm) for SD7 and SD9 lock

Stocked Colours

* BLST, WHGL, SP

BLST, SP


^BLST, SP



Elegance Push 2 Go Hinged Security Door Lock







- Patented Push2Go technology enables user to privacy lock from outside without using a key and with a push button
- Stainless steel faceplate for premium look
- Fixing screws only accessible from the inside
- Enhanced resistance to forced entry via a notch in the latch bolt that engages a profiled strike plate aperture
- Interior snib lever for quick and convenient locking without the need for a key
- Jemmy resistant strike plate
- Suitable for new and retrofit applications, as per industry standard cutout on p11
- Suits left and right, aluminium doors 19 to 25mm thick
- Combine with multipoint kits (see p10 & 11) to create triple point lock for improved security
- Compatible with both cable operated (EKIT) as well as rod operated (H14R) multipoint kits


Part Number	Description		
ELP2G/colour*	Elegance Push 2 Go hinged security door lock set less cylinder		
SP1	Standard strike plate for Elegance series locks		
SP24	Narrow strike plate (15.7mm) kit for Elegance series locks		
WSP1	Wide strike plate (52mm) for Elegance series locks		
SPS1	Spacer for standard strike plate for Elegance series locks		
ELXCFP	Fat pack - to fit Elegance series locks on door up to 40mm thick		

Stocked Colours * BLST, WHGL, SP

Elegance Hinged Security Door Lock







- Stainless steel faceplate for premium look
- Fixing screws only accessible from the inside
- Enhanced resistance to forced entry via a notch in the latch bolt that engages a profiled strike plate aperture
- Interior snib lever for quick and convenient locking without the need for a key
- Jemmy resistant strike plate
- Suitable for new and retrofit applications, as per industry standard cutout on p11
- Suits left and right, aluminium doors 19 to 25mm thick
- Combine with multipoint kits (see p10 & 11) to create triple point lock for improved security
- Compatible with both cable operated (EKIT) as well as rod operated (H14R) multipoint kits

Part Number	Description	
ELXC/colour*	Elegance hinged security door lock set less cylinder	
ELXCNC/colour#	Elegance no cylinder option hinged security door lock set	
SP1	Standard strike plate for Elegance series locks	
SP24	Narrow strike plate (15.7mm) kit for Elegance series locks	
WSP1	Wide strike plate (52mm) for Elegance series locks	
SPS1	Spacer for standard strike plate for Elegance series locks	
ELXCFP	Fat pack - to fit Elegance series locks on door up to 40mm thick	

Stocked Colours


* BLST, WHGL, PRGL, MON, PBRK, WDGR, SP


BLST, SP



Ultimate Hinged Security Door Lock







- Pivoting beak locking mechanism
- Stainless steel faceplate for premium look
- Fixing screws only accessible from the inside
- Enhanced resistance to forced entry via a notch in the pivoting bolt that engages a profiled strike plate
- Interior snib lever for quick and convenient locking without the need for a key
- Jemmy resistant strike plate
- Suitable for new and retrofit applications, as per industry standard cutout on p11
- Suits left and right, aluminium doors 19 to 25mm thick
- Combine with multipoint kits (see p10 and 11) to create triple point lock for improved security
- Compatible with cable operated (UKIT & HD16PLUS) multipoint kits
- Lockset available with or without caretaker key option

Part Number	Description		
ULTXC/colour*	Ultimate hinged security door lock set less cylinder		
ULT/colour#	Ultimate hinged security door lock set with caretaker key less cylinder		
SP2	Standard strike plate for Ultimate series locks		
SP25	Narrow strike plate (15.7mm) kit for Ultimate series locks		
WSP2/RH or LH	Wide strike plate (52mm) for Ultimate series locks - right handed or left handed		

Stocked Colours

* BLST, WHGL, SP

#BLST, SP

Door Closer For Hinged Security Doors





- Reliable & robust all metal construction
- Adjustable closing speed
- 'Fitting tool' supplied for easy installation
- Available in two closing strengths: standard weight door (up to 18kg) and heavier weight door (up to 26kg)

Part Number	Description
DC/colour*	Door closer for hinged security doors
DCH/colour#	Heavy duty door closer for hinged security doors
Stocked Colours	* BLST, WHGL, PRGL, MON, PBRK, WDGR, SP #BLST, SP

Other colours listed on p2 colour chart may be ordered as SP at no additional cost but with a 7 day lead time

Cylinders For Hinged and Sliding Security Door Locks





- Double pin cylinder for security door locks
- Removable chamber cover for quick and easy re-pinning
- Thumb turn cylinders allow users to exit without keys when locked from outside
- Thumb turn cylinders available in right and left handed variants
- Bright chrome plated
- Available in C4 and GR9 keyways
- 62mm length (70mm length also available)
- Keyed alike or keyed differently

For SD7, SD9 and Elegance series locks

Part Number	Description
AAC4/key code*	AA 5-pin double cylinder with C4 keyway
AAG/ KA or SD or SP	AA 5-pin double cylinder with GR9 keyway
AAC4RHTT/ KA or SD or SP	AA 5-pin C4 cylinder with interior thumb-turn for right hand doors
AAC4LHTT/ KA or SD or SP	AA 5-pin C4 cylinder with interior thumb-turn for left hand doors
W2000/KA OR KD	Wafer cylinders

For Ultimate series locks

Part Number	Description
AA8C4/key code#	AA 5-pin double cylinder with C4 keyway
AA8G/ KA or SD or SP	AA 5-pin double cylinder with GR9 keyway
AA8C4RHTT/ KA or SD or SP	AA 5-pin C4 cylinder with interior thumb-turn for right hand doors
AA8C4LHTT/ KA or SD or SP	AA 5-pin C4 cylinder with interior thumb-turn for left hand doors
W8200/KA OR KD	Wafer cylinders

- * Available key codes KA, KA2, KA3, KA4, KA5, KA10, KD, 801 to 810
- [#] Available in KA, KA2, KA3, KA4, KA5, KA10, KD

SP keying for specific code or grouping preference, KA keyed alike, KD keyed different



Cable Operated Multipoint Kits For Hinged and Sliding Security Doors



- Multipoint kits driven by cables for quite and reliable operation
- Convert standard hinged or sliding mortice security door locks into triple point locks for improved security
- Cables, due to their flexibility, are significantly easier to install
- All kits suit both left handed and right handed doors
- All three points are simultaneously engaged using the turn snib on center lock
- Fits most industry standard cutouts
- All kits include top and bottom cables with top and bottom remote locks
- All kits come in three standard configurations: high, low and pool
- Different length cables can be ordered as special orders

SD14PLUS for SD7 and SD9 Sliding Security Doors

Part Number	Description	A mm	B mm
SD14PLUS/H	High, multipoint kit for SD7 and SD9	546	961
SD14PLUS/L	Low, multipoint kit for SD7 and SD9	961	546
SD14PLUS/P	Pool, multipoint kit for SD7 and SD9	375	961
SD14PLUS/SP	Special length, multipoint kit for SD7 and SD9		

EKIT Projection bolt remote locks for Elegance series Hinged Security Doors

Part Number	Description	A mm	B mm
EKIT/H	High, multipoint kit for ELXC and ELP2G	682	826
EKIT/L	Low, multipoint kit for ELXC and ELP2G	826	682
EKIT/P	Pool, multipoint kit for ELXC and ELP2G	375	961
EKIT/SP	Special length, multipoint kit for ELXC and ELP2G		

UKIT Projection bolt remote locks for Ultimate series Hinged Security Doors

Part Number	Description	A mm	B mm
UKIT/H	High, multipoint kit for ULT and ULTXC	682	826
UKIT/L	Low, multipoint kit for ULT and ULTXC	826	682
UKIT/P	Pool, multipoint kit for ULT and ULTXC	375	961
UKIT/SP	Special Length, multipoint kit for ULT and ULTXC		

HD16PLUS Pivoting beak remote locks for Ultimate series Hinged Security Doors

Part Number	Description	C mm	D mm
HD16PLUS/H	High, multipoint kit for ULT and ULTXC	610	790
HD16PLUS/L	Low, multipoint kit for ULT and ULTXC	766	634
HD16PLUS/P	Pool, multipoint kit for ULT and ULTXC	313	1079
HD16PLUS/SP	Special length, multipoint kit for ULT and ULTXC		

Rod Operated Multipoint Kits For Hinged and Sliding Security Doors




- Multipoint kits driven by rods for reliable operation
- Convert standard hinged or sliding mortice security door locks into triple point locks for improved security
- All kits suit both left handed and right handed doors
- All three points are simultaneously engaged using the turn snib on center lock
- Fits most industry standard cutouts
- All kits include top and bottom rods with top and bottom remote locks
- Available for SD7, SD9 and Elegance series of security door locks
- All kits come in three standard configurations: high, low and pool
- Different length rods can be ordered as special orders

S14R for SD7 and SD9 Sliding Security Doors

Part Number	Description	A mm	B mm
S14R/H	High, multipoint kit for SD7 and SD9	546	961
S14R/L	Low, multipoint kit for SD7 and SD9	961	546
S14R/P	Pool, multipoint kit for SD7 and SD9	375	961
S14R/SP	Special length, multipoint kit for SD7 and SD9		

H14R Projection bolt remote locks for Elegance series Hinged Security Doors

Part Number	Description	A mm	B mm
H14R/H	High, multipoint kit for ELXC and ELP2G	682	826
H14R/L	Low, multipoint kit for ELXC and ELP2G	826	682
H14R/P	Pool, multipoint kit for ELXC and ELP2G	375	961
H14R/SP	Special length, multipoint kit for ELXC and ELP2G		



Door cutout dimensions

- Also suitable for single rectangular industry standard cutouts (19mm x 137mm)
- Refer to these diagrams for ordering multipoint kits
- For all special length kits of SD14PLUS, EKIT, UKIT, S14R and H14R, A and B lengths to be provided by customer
- For HD16PLUS special length kits, C and D lengths to be provided by customer

About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in seamless access, with leading brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion secures people and assets with a range of solutions for homes, businesses, schools and institutions.

For more, visit www.allegion.com

Brio - <FSH> - Gaingborough - LEGGE - SCHLAGE

Due to continuous product development, some products may vary from that shown. The Allegion guarantee, shown on the pages within, applies only when properly installed and subjected to no more than fair wear and tear. This guarantee does not extend to labour costs, personal loss, death or injury or economic, consequential or property damage of any kind whatsoever. Due to the nature of the printing process, colours may vary from those shown in this brochure.

Allegion Australia

Freephone 1800 098 094 Freefax 1800 098 095 Email info.au@allegion.com www.allegion.com.au

